

City of Raleigh Planning & Development Department One Exchange Plaza Raleigh, NC 27601 (919) 996-2475 www.raleighnc.gov

Case File: A-79-17

Property Address: 9501 Leesville Road and 9513, 9601 and 9605 Old Leesville Road


**Property Owner:** Halpern Enterprises, Inc.

Project Contact: Michael Birch

**Nature of Case:** A request for a variance to condition 17 of zoning case Z-6-16 to permit the

demolition of the Leesville Teacherage which is located on a 7.72 acre tract zoned Neighborhood Mixed Use-3-Conditional Use and located at 9501 Leesville

Road and 9513, 9601, 9605 Old Leesville Road




9501 Leesville Road and 9513, 9601 and 9605 Old Leesville Road - Location Map

**To BOA:** 6-12-17

Staff Coordinator: Eric S. Hodge, AICP

ZONING

**DISTRICTS:** Neighborhood Mixed-Use-3 Conditional Use District



9501 Leesville Road and 9513, 9601 and 9605 Old Leesville Road - Location Map

VARIANCE STANDARDS: In accordance with UDO §10.2.10 Variance, before a variance request is granted, the Board of Adjustment shall show all of the following:

- 1. Unnecessary hardship would result from the strict application of the ordinance. It shall not be necessary to demonstrate that, in the absence of the variance, no reasonable use can be made of the property.
- 2. The hardship results from conditions that are peculiar to the property, such as location, size or topography. Hardships resulting from personal circumstances, as well as hardships resulting from conditions that are common to the neighborhood or the general public, may not be the basis for granting a variance.

- 3. The hardship did not result from actions taken by the applicant or the property owner. The act of purchasing property with knowledge that circumstances exist that may justify the granting of a variance shall not be regarded as a self-created hardship.
- 4. The requested variance is consistent with the spirit, purpose and intent of the ordinance, such that public safety is secured and substantial justice is achieved.

## **Zoning Conditions:**

**Z-6-16** – **Leesville Road**, east side, south of its intersection with Strickland Road, and extending east to Old Leesville Road, being Wake County PINs 0788047444, 0788048627, 0788048872, and a portion of 0788045738 east of Leesville Road, approximately 7.72 acres rezoned to Neighborhood Mixed Use-3 Stories-Conditional Use (NX-3-CU)

Conditions dated: July 5, 2016


- 1. The following principal uses shall be prohibited: bed and breakfast; retail sales fuel (including gasoline and diesel fuel); vehicle sales/rental all types; detention center, jail, prison; vehicle repair (minor).
- 2. The maximum amount of gross floor area of nonresidential uses shall be 63,000 square feet. The maximum amount of residential dwelling units shall be 36 dwelling units. Prior to recordation of a subdivision plat or the issuance of a building permit, whichever shall first occur, the owner of the property shall cause to be recorded in the Wake County Registry a restrictive covenant that allocates among the lot(s) of record comprising the property the nonresidential gross floor area and number of dwelling units permitted by this rezoning ordinance. Such restrictive covenant shall be approved by the City Attorney or his designee prior to recordation of the restricted Such restrictive covenant shall provide that it may be amended or covenant. terminated only with the prior written consent of the City Attorney or his designee. No building permit shall be issued for any use until an allocation covenant approved by the City Attorney or his designee is recorded with the Wake County Register of Deeds Office. For the purposes of this rezoning ordinance, the term "nonresidential uses" shall mean all those land uses except those listed under the "Residential" use category in the Allowed Principal Use Table in UDO section 6.1.4.
- 3. The maximum amount of gross floor area for a single nonresidential tenant space shall be 50,000 square feet.
- 4. The maximum building height for any building on the property shall be two stories and forty (40) feet, except for those height encroachments as allowed by UDO section 1.5.7.D.

5. The hours of operation for any Retail Sales use shall be between the hours of 6:00 a.m. and 11:00 p.m. Truck deliveries shall occur only between the hours of 7:00 a.m. and 9:00 p.m., and shall be limited to Monday through Saturday, inclusive. Additionally, there shall be no idling of delivery trucks between 11:00 p.m. and 7:00 a.m. No complaint of a violation of this condition shall be made to the 911 emergency number.

- 6. Any pole-mounted lighting fixtures shall be of full cut-off design, and pole-mounted site lighting for parking areas shall not exceed twenty (20) feet in height.
- 7. No commercial use shall have its front elevation facing Old Leesville Road. Additionally, no building entrance open and available to the general public shall be located on a building elevation facing Old Leesville Road.
- 8. This condition is being made pursuant to text change TC-8-15 and UDO section 10.2.4.E.2.c. There shall not be a driveway cut along the property's frontage on Old Leesville Road. However, this condition shall not prohibit vehicular, bicycle and pedestrian access to and from the property to and from Old Leesville Road by way of cross access. The property shall not be subject to UDO section 8.3.2. or any other provision of UDO Article 8 that would (i) require a public street connection within the property that would provide a public street connection between Leesville Road and Old Leesville Road, or (ii) require the extension of Old Leesville Road. The length of Old Leesville Road shall not exceed 725 feet. A sidewalk, measuring at least ten (10) feet in width, shall be provided from the sidewalk parallel to Leesville Road in the public right-of-way to a point of cross-access offered in that Offer of Cross Access Easement in Book 15988, Page 2204, Wake County Registry, as may be amended, with a possible location of such sidewalk shown on Exhibit A. An easement, measuring twenty (20) feet in width, permitting public access and preventing buildings within the easement area, shall be provided over the sidewalk required by this condition, but such sidewalk shall not be required to be centered within the easement area. This easement shall be recorded prior to issuance of the first building permit. Site development will comply with UDO section 8.3.1.E.
- 9. No service areas used for trash collection, trash compaction or recycling collection shall be located within fifty (50) feet of the eastern property line adjacent to the Old Leesville Road public right-of-way or that parcel identified as Closed R/W-B on that plat recorded in Book of Maps 2004, Page 1396, Wake County Registry.
- 10. Prior to the issuance of the first building permit, an acceptance of that Offer of Cross Access Easement recorded in Book 15988, Page 2204, Wake County Registry shall be recorded, and such acceptance shall contain the following statement: "No delivery truck shall use that portion of the Access Easement area between Old Leesville Road and that point within the Access Easement area measuring two hundred (200) feet from where the Access Easement area abuts the Old Leesville Road public right-of-way." For the purpose of this condition and Condition 5, "delivery truck" shall mean a truck having three or more axles or a two-axle truck with dual rear wheels pulling a trailer, which accesses the property for the purpose of discharging or collecting cargo.

- 11. Subject to tree conservation areas and prior to the issuance of a certificate of occupancy for the first building on the property, a closed wall measuring at least ten (10) feet in height but no taller than twelve (12) feet in height, as measured at all points along the wall, shall be installed along the property's frontage along Old Leesville Road. The northern-most point of this wall shall be 150 feet from the intersection of Strickland Road and Old Leesville Road, but in no event within any required sight triangle or sight distance easement. The wall required by this condition shall be a wythe wall with mortar. The wall shall be constructed of high quality materials including one or a combination of the following: decorative blocks, brick, stone, cast-stone, or architectural block; but the wall shall not include split-faced block. Additionally, the wall shall be compatible with the principal building in terms of texture, quality, material and color. The wall required by this condition shall be installed within that area measuring twenty (20) feet from the future right-of-way of Old Leesville Road and outside the required district yard setback, but parallel to an adjoining sidewalk, if any. If the wall is along a sidewalk on the west side of Old Leesville Road, then the portion of this closed wall along the sidewalk shall incorporate wall pack lighting located no higher than five (5) feet from the ground to illuminate the sidewalk. Additionally, this closed wall shall extend from its southern terminus along Old Leesville Road toward Leesville Road at least as far as (i) twenty (20) feet west the eastern-most elevation of the building, or (ii) west of the loading area and trash/recycling service area associated with the largest commercial building, whichever is farthest from Old Leesville Road. The maintenance of this wall shall be the obligation of the owner of the property. There shall be one gated opening in this wall to provide pedestrian and bicycle access to and from the property, and such gate shall be open and unlocked during the hours of operation for Retail Sales uses specified in Condition 5. On the east side of the wall required by this condition, for that portion of the wall parallel to Old Leesville Road, shrubs shall be planted at a rate of eighteen (18) per 100 linear feet of the wall parallel to Old Leesville Road, and understory trees shall be planted at a rate of three (3) per 100 linear feet of the wall parallel to Old Leesville Road, with such shrubs being a minimum three (3) feet in height at time of planting with an expected height of five (5) feet within five (5) years of planting, and such understory trees a minimum six (6) feet at the time of planting, and with such shrubs and understory trees being installed prior to issuance of the first certificate of occupancy.
- 12. There shall be no drive-in or drive-through facility permitted on the property.
- 13. The hours of operation for service of trash and recycling facilities shall be between 7:00 AM and 7:00 PM, and shall be limited to Monday through Saturday, inclusive.
- 14. No building shall be located within that area south of the straight line connecting (i) the point where the areas designated "Closed R/W-A" and "Closed R/W-B" join at the Old Leesville Road right-of-way as shown on plat recorded in Book of Maps 2004, Page 1396, and (ii) the point along the property's frontage on Leesville Road that is five hundred (500) feet south of the property's northern-most point of frontage along Leesville Road, measured along Leesville Road, as shown on attached Exhibit A.

- 15. The portion of the property immediately adjacent to that parcel identified as "Closed R/W-B" on that plat recorded in Book of Maps 2004, Page 1396, Wake County Registry, measuring at least thirty-two (32) feet in depth from the common boundary line, shall be maintained as a tree conservation area to the extent that this area (or a portion thereof) qualifies as a tree conservation area under UDO section 9.1. If this area (or a portion thereof) does not qualify as a tree conservation area, then such area shall remain undisturbed except for that disturbance required for any sewer, water, storm drainage, utility, or right-of-way easements or improvements required by the UDO, and new tree or shrub planting.
- 16. The primary building material shall be brick, stone, masonry or similar high quality material, or a combination thereof.
- 17. The two-story structure identified as the Leesville Teacherage, having an address of 9513 Old Leesville Road (Lot 30-A in Book of Maps 1985, Page 882, shall be relocated. This structure shall be removed from the property prior to issuance of a building permit for the property on which the structure is located, howsoever recombined or subdivided.
- 18. Unless a more restrictive standard is imposed by a building type standard, the following condition shall apply. There shall be a build-to measuring between 0' to 100' along that portion of the property's frontage on Leesville Road from the property's northern-most point of frontage on Leesville Road to a point measuring 500' from the property's northern-most point on Leesville Road, as shown on attached Exhibit A. Within this build-to area, the minimum building setback shall be 30 feet. Within this build-to area, the maximum parking depth is a single double-loaded bay of parking between Leesville Road and the portion of the building closest to Leesville Road. The building coverage within this build-to area shall be a minimum of 25%. Trees within the build-to area may, at the election of the developer, be designated as tree conservation area if such areas otherwise meet the standards of UDO Article 9.1 and UDO Section 10.2.4.E.2.i. There shall be a minimum of four (4) public building entrances facing Leesville Road. The building side facing Leesville Road (that building side primarily facing west) shall be subject to a transparency standard of a minimum of 35% on the ground story and upper story (if any), subject to the provisions of UDO section 1.5.9, and shall be subject to a minimum blank wall standard of twenty (20) feet, subject to the terms of UDO section 1.5.10. Between the parking area within the build-to area and the parking area beyond the build-to area, there shall be planted a minimum of six (6) shade trees, five (5) understory trees, and two hundred (200) shrubs. The shade trees required by this condition shall comply with UDO section 7.2.7.C.2.; the understory trees required by this condition shall comply with UDO section 7.2.7.C.3.; shrubs required by this condition shall be a minimum of one (1) feet in height at the time of planting, with an expected height of two (2) feet within three (3) years of planting.



Oscilalises where yields to produce and publish the most content and accurate information possible, traverse, the water are produced for information surprocess and see NOT sources. The water are expenses on impleed and provided for the data thereon, its use on its interprolational.

## **Application for Variance**





Department of City Planning | 1 Exchange Plaza, Suite 300 | Raleigh, NC 27601 | 919-996-2626 Submit application to: Development Services Customer Service Center, 1 Exchange Plaza, Suite 400, Raleigh, NC 27601

NATURE OF REQUEST	OFFICE USE ONLY	
Nature of variance request (if more space is needed, submit addendum on separate sheet): Property owner requests a variance to zoning condition 17 of zoning case Z-6-16 to permit the demolition of the Leesville Teacherage.	Transaction Number	
,	A-79-17	
Provide all previous transaction numbers for Coordinated Team Reviews, Due Diligence Sessions, or Pre-Submittal Conferences. If this property was the subject of a previous variance request, provide the case number.		
A-132-16 (Withdrawn); SR-81-16 (under review)		

GENERAL INFORMATION						
Property Address 9501 Leesville Road & 9513, 9601, 96	605 Old Leesville Road	Date 05/10/17				
Property PIN 0788047444, 0788048627, 0788048872, 0788045738	Current Zoning NX-3-CU					
Nearest Intersection Leesville Road & Strick	land Road	Property size (in acres) 7.72				
Property Owner Halpern Enterprises, Inc.	Phone (919)917-7298	Fax				
Owner's Mailing Address 5200 Roswell Rd, Atlanta, GA 30342	Email michaelk@mi	kamgmtsolns.com				
Project Contact Person Michael Birch, Morningstar Law Group	Phone 919.590.0388	Fax				
Contact Person's Mailing Address 421 Fayetteville St., Ste. 530, Raleigh, NC 27601	Email mbirch@morningstarlawgroup.com					
Property Owner Signature Joseph Photogram	Email ; halperne halpern ent. com					
Sworn and subscribed before me this 10 <sup>th</sup> day of	Notary Signature and Seal	DATE OF THE PROPERTY OF THE PR				



MEMO TO:

William D. Brown, Jr., Halpern Enterprises, Inc.

FROM:

Sarah David, Chair

CC:

Michael D. Kaney, Mika Management Solutions

Ellen Turco, New South Associates

Tania Tully, City of Raleigh

SUBJECT:

Leesville Teacherage (9513 Old Leesville Road)

DATE:

May 9, 2017

Since the summer of 2016 RHDC has been working with Halpern Enterprises, Inc. (HEI) and Preservation North Carolina (PNC) to find an onsite or offsite location for the Leesville Teacherage. Despite exhaustive efforts by all parties a suitable location has not been found to date.

Simultaneously we have been working with the North Carolina State Historic Preservation Office (SHPO) on the development of a Memorandum of Agreement between the SHPO, your company, and the United States Army Corps of Engineers (USACE) for the needed federal permit. Demolition of the historic building will be considered to have an adverse effect and mitigation will be required. HEI has proposed a donation of \$75,000 to Raleigh Historic Development Commission, Inc. (RHDC) to aid in preserving other historic structures in the local community.

It is understood that HEI will also need to seek a variance from the Raleigh Board of Adjustment to proceed with the project.

Although demolition of the building is not the preferred solution, RHDC concurs that reasonable efforts are being made to preserve the Leesville Teacherage and supports a donation to RHDC as well as documentation of the structure likely required by the SHPO as mitigation should the building be demolished. RHDC also supports HEI's variance application.

Please advise me if I can provide further information.

Post Office Bax 829 Raleigh, North Carolina 27602 (919) 832-7238 ph (919) 516-2682 fax www.hdc.org Ordinance (2016) 622 ZC 735

Effective: 7/19/2016

**Z-6-16 – Leesville Road**, east side, south of its intersection with Strickland Road, and extending east to Old Leesville Road, being Wake County PINs 0788047444, 0788048627, 0788048872, and a portion of 0788045738 east of Leesville Road, approximately 7.72 acres rezoned to Neighborhood Mixed Use-3 Stories-Conditional Use (NX-3-CU)

Conditions dated: July 5, 2016

- 1. The following principal uses shall be prohibited: bed and breakfast; retail sales fuel (including gasoline and diesel fuel); vehicle sales/rental all types; detention center, jail, prison; vehicle repair (minor).
- 2. The maximum amount of gross floor area of nonresidential uses shall be 63,000 square feet. The maximum amount of residential dwelling units shall be 36 dwelling units. Prior to recordation of a subdivision plat or the issuance of a building permit, whichever shall first occur, the owner of the property shall cause to be recorded in the Wake County Registry a restrictive covenant that allocates among the lot(s) of record comprising the property the nonresidential gross floor area and number of dwelling units permitted by this rezoning ordinance. Such restrictive covenant shall be approved by the City Attorney or his designee prior to recordation of the restricted covenant. Such restrictive covenant shall provide that it may be amended or terminated only with the prior written consent of the City Attorney or his designee. No building permit shall be issued for any use until an allocation covenant approved by the City Attorney or his designee is recorded with the Wake County Register of Deeds Office. For the purposes of this rezoning ordinance, the term "nonresidential uses" shall mean all those land uses except those listed under the "Residential" use category in the Allowed Principal Use Table in UDO section 6.1.4.
- 3. The maximum amount of gross floor area for a single nonresidential tenant space shall be 50,000 square feet.
- 4. The maximum building height for any building on the property shall be two stories and forty (40) feet, except for those height encroachments as allowed by UDO section 1.5.7.D.
- 5. The hours of operation for any Retail Sales use shall be between the hours of 6:00 a.m. and 11:00 p.m. Truck deliveries shall occur only between the hours of 7:00 a.m. and 9:00 p.m., and shall be limited to Monday through Saturday, inclusive. Additionally, there shall be no idling of delivery trucks between 11:00 p.m. and 7:00 a.m. No complaint of a violation of this condition shall be made to the 911 emergency number.
- 6. Any pole-mounted lighting fixtures shall be of full cut-off design, and pole-mounted site lighting for parking areas shall not exceed twenty (20) feet in height.

Ordinance (2016) 622 ZC 735 Effective: 7/19/2016

- 7. No commercial use shall have its front elevation facing Old Leesville Road. Additionally, no building entrance open and available to the general public shall be located on a building elevation facing Old Leesville Road.
- 8. This condition is being made pursuant to text change TC-8-15 and UDO section 10.2.4.E.2.c. There shall not be a driveway cut along the property's frontage on Old Leesville Road. However, this condition shall not prohibit vehicular, bicycle and pedestrian access to and from the property to and from Old Leesville Road by way of cross access. The property shall not be subject to UDO section 8.3.2. or any other provision of UDO Article 8 that would (i) require a public street connection within the property that would provide a public street connection between Leesville Road and Old Leesville Road, or (ii) require the extension of Old Leesville Road. The length of Old Leesville Road shall not exceed 725 feet. A sidewalk, measuring at least ten (10) feet in width, shall be provided from the sidewalk parallel to Leesville Road in the public right-of-way to a point of cross-access offered in that Offer of Cross Access Easement in Book 15988, Page 2204, Wake County Registry, as may be amended, with a possible location of such sidewalk shown on Exhibit A. An easement, measuring twenty (20) feet in width, permitting public access and preventing buildings within the easement area, shall be provided over the sidewalk required by this condition, but such sidewalk shall not be required to be centered within the easement area. This easement shall be recorded prior to issuance of the first building permit. Site development will comply with UDO section 8.3.1.E.
- 9. No service areas used for trash collection, trash compaction or recycling collection shall be located within fifty (50) feet of the eastern property line adjacent to the Old Leesville Road public right-of-way or that parcel identified as Closed R/W-B on that plat recorded in Book of Maps 2004, Page 1396, Wake County Registry.
- 10. Prior to the issuance of the first building permit, an acceptance of that Offer of Cross Access Easement recorded in Book 15988, Page 2204, Wake County Registry shall be recorded, and such acceptance shall contain the following statement: "No delivery truck shall use that portion of the Access Easement area between Old Leesville Road and that point within the Access Easement area measuring two hundred (200) feet from where the Access Easement area abuts the Old Leesville Road public right-of-way." For the purpose of this condition and Condition 5, "delivery truck" shall mean a truck having three or more axles or a two-axle truck with dual rear wheels pulling a trailer, which accesses the property for the purpose of discharging or collecting cargo.
- 11. Subject to tree conservation areas and prior to the issuance of a certificate of occupancy for the first building on the property, a closed wall measuring at least ten (10) feet in height but no taller than twelve (12) feet in height, as measured at all points along the wall, shall be installed along the property's frontage along Old Leesville Road. The northern-most point of this wall shall be 150 feet from the intersection of Strickland Road and Old Leesville Road, but in no event within any required sight triangle or sight distance easement. The wall required by this condition shall be a wythe wall with mortar. The wall shall be constructed of high quality

Ordinance (2016) 622 ZC 735

Effective: 7/19/2016


materials including one or a combination of the following: decorative blocks, brick, stone, cast-stone, or architectural block; but the wall shall not include split-faced block. Additionally, the wall shall be compatible with the principal building in terms of texture, quality, material and color. The wall required by this condition shall be installed within that area measuring twenty (20) feet from the future right-of-way of Old Leesville Road and outside the required district yard setback, but parallel to an adjoining sidewalk, if any. If the wall is along a sidewalk on the west side of Old Leesville Road, then the portion of this closed wall along the sidewalk shall incorporate wall pack lighting located no higher than five (5) feet from the ground to illuminate the sidewalk. Additionally, this closed wall shall extend from its southern terminus along Old Leesville Road toward Leesville Road at least as far as (i) twenty (20) feet west the eastern-most elevation of the building, or (ii) west of the loading area and trash/recycling service area associated with the largest commercial building, whichever is farthest from Old Leesville Road. The maintenance of this wall shall be the obligation of the owner of the property. There shall be one gated opening in this wall to provide pedestrian and bicycle access to and from the property, and such gate shall be open and unlocked during the hours of operation for Retail Sales uses specified in Condition 5. On the east side of the wall required by this condition, for that portion of the wall parallel to Old Leesville Road, shrubs shall be planted at a rate of eighteen (18) per 100 linear feet of the wall parallel to Old Leesville Road, and understory trees shall be planted at a rate of three (3) per 100 linear feet of the wall parallel to Old Leesville Road, with such shrubs being a minimum three (3) feet in height at time of planting with an expected height of five (5) feet within five (5) years of planting, and such understory trees a minimum six (6) feet at the time of planting, and with such shrubs and understory trees being installed prior to issuance of the first certificate of occupancy.

- 12. There shall be no drive-in or drive-through facility permitted on the property.
- 13. The hours of operation for service of trash and recycling facilities shall be between 7:00 AM and 7:00 PM, and shall be limited to Monday through Saturday, inclusive.
- 14. No building shall be located within that area south of the straight line connecting (i) the point where the areas designated "Closed R/W-A" and "Closed R/W-B" join at the Old Leesville Road right-of-way as shown on plat recorded in Book of Maps 2004, Page 1396, and (ii) the point along the property's frontage on Leesville Road that is five hundred (500) feet south of the property's northern-most point of frontage along Leesville Road, measured along Leesville Road, as shown on attached Exhibit A.
- 15. The portion of the property immediately adjacent to that parcel identified as "Closed R/W-B" on that plat recorded in Book of Maps 2004, Page 1396, Wake County Registry, measuring at least thirty-two (32) feet in depth from the common boundary line, shall be maintained as a tree conservation area to the extent that this area (or a portion thereof) qualifies as a tree conservation area under UDO section 9.1. If this area (or a portion thereof) does not qualify as a tree conservation area, then such area shall remain undisturbed except for that disturbance required for any sewer, water,

Ordinance (2016) 622 ZC 735 Effective: 7/19/2016

storm drainage, utility, or right-of-way easements or improvements required by the UDO, and new tree or shrub planting.

- 16. The primary building material shall be brick, stone, masonry or similar high quality material, or a combination thereof.
- 17. The two-story structure identified as the Leesville Teacherage, having an address of 9513 Old Leesville Road (Lot 30-A in Book of Maps 1985, Page 882, shall be relocated. This structure shall be removed from the property prior to issuance of a building permit for the property on which the structure is located, howsoever recombined or subdivided.
- 18. Unless a more restrictive standard is imposed by a building type standard, the following condition shall apply. There shall be a build-to measuring between 0' to 100' along that portion of the property's frontage on Leesville Road from the property's northern-most point of frontage on Leesville Road to a point measuring 500' from the property's northern-most point on Leesville Road, as shown on attached Exhibit A. Within this build-to area, the minimum building setback shall be 30 feet. Within this build-to area, the maximum parking depth is a single double-loaded bay of parking between Leesville Road and the portion of the building closest to Leesville Road. The building coverage within this build-to area shall be a minimum of 25%. Trees within the build-to area may, at the election of the developer, be designated as tree conservation area if such areas otherwise meet the standards of UDO Article 9.1 and UDO Section 10.2.4.E.2.i. There shall be a minimum of four (4) public building entrances facing Leesville Road. The building side facing Leesville Road (that building side primarily facing west) shall be subject to a transparency standard of a minimum of 35% on the ground story and upper story (if any), subject to the provisions of UDO section 1.5.9, and shall be subject to a minimum blank wall standard of twenty (20) feet, subject to the terms of UDO section 1.5.10. Between the parking area within the build-to area and the parking area beyond the build-to area, there shall be planted a minimum of six (6) shade trees, five (5) understory trees, and two hundred (200) shrubs. The shade trees required by this condition shall comply with UDO section 7.2.7.C.2.; the understory trees required by this condition shall comply with UDO section 7.2.7.C.3.; shrubs required by this condition shall be a minimum of one (1) feet in height at the time of planting, with an expected height of two (2) feet within three (3) years of planting.



Distribute

When seeker warey value (i) circum and pulsial.

When seeker warey value (ii) circum and pulsial.

When red somer and assume the industry of seeker.

However, Distribute was membrad an industry and any of seeker.

But the RDT is strenge, it the second as seeker and seeker.

But the RDT is strenged, the second as seeker.

The seeker is the seeker is the seeker and seeker.

0788047444 HALPERN ENTERPRISES, INC

5200 ROSWELL RD ATLANTA GA 30342-1915 0788037900

BURKE, MELANIE MOSER 9400 TREYMORE DR **RALEIGH NC 27617-5269** 

0788042635

CHUNG, SEONGTAEK 9700 WHITECLAY CT **RALEIGH NC 27617-7903** 

0788042744

REXRODE, LONNIE 9704 WHITECLAY CT RALEIGH NC 27617-7903 0788042851

KLOTZ. SIDNEY TRUSTEE ELMORE. RICHARD D TRUSTEE 9708 WHITECLAY CT

9800 WHITECLAY CT RALEIGH NC 27617-7902

0788042858

KRAUSE, KIM

0788042955

SPENCE, RICHARD K JR 9804 WHITECLAY CT **RALEIGH NC 27617-7902**  0788043585

PERSON, SEBASTIAN PERSON. LEE

RACHEL JOY 9528 TREYMORE DR **RALEIGH NC 27617-5270** 

RALEIGH NC 27617-7903

0788043641

SMITH, MATTHEW SMITH, REBECCA

9532 TREYMORE DR RALEIGH NC 27617-5270

0788044387

AUSTIN, DEBRA ANN 9516 TREYMORE DR RALEIGH NC 27617-5270 0788044418

TUCKER, CEDRIC TUCKER, SYBIL C

9524 TREYMORE DR RALEIGH NC 27617-5270 0788044443

TOMA, MICHELLE MARIE 9520 TREYMORE DR **RALEIGH NC 27617-5270** 

0788045247

ADAMS, SUSAN K 9508 TREYMORE DR **RALEIGH NC 27617-5270**  0788045271

ROBBINS, RANDALL BRYANT ROBBINS,

MEREDITH SLATE 9504 TREYMORE DR RALEIGH NC 27617-5270 0788045301

RITTER, GRETAL S RITTER, NOEL A

9512 TREYMORE DR RALEIGH NC 27617-5270

0788045738

HALPERN ENTERPRISES, INC 5200 ROSWELL RD ATLANTA GA 30342-1915

0788046074

MCWATTERS, DAVID M IV WALLACE,

LACEY C

9408 TREYMORE DR **RALEIGH NC 27617-5269**  0788046115

MITCHELL, JAMES E MITCHELL, JOYCE W

1101 HYDE ST

RALEIGH NC 27609-5501

0788046140

SEAMAN, JEFFREY C SEAMAN, MICHELLE

9412 TREYMORE DR **RALEIGH NC 27617-5269**  0788047010

LLOYD, MARTIN W 205 LAKE NORMAN DR CARY NC 27519-9556

0788048627

HALPERN ENTERPRISES, INC

5200 ROSWELL RD ATLANTA GA 30342-1915

0788048872

HALPERN ENTERPRISES, INC

5200 ROSWELL RD ATLANTA GA 30342-1915 0788049101

DRAYMOOR MANOR TOWNHOMES ASSOC

INC

3739 NATIONAL DR STE 101 **RALEIGH NC 27612-4817** 

0788049169

PLACHETKA, KATHLEEN A 13134 ASHFORD PARK DR RALEIGH NC 27613-4141

0788049190

DOMZALSKI, **MARGUERITE** MILLIS DOMZALSKI, ROBERT E 13138 ASHFORD PARK DR RALEIGH NC 27613-4141

0788049195

REIBEL, DONALD B TRUSTEE 13136 ASHFORD PARK DR RALEIGH NC 27613-4141

0788049293

ERICSON, DOUGLAS P 13132 ASHFORD PARK DR RALEIGH NC 27613-4141

0788049491

GRIFFIN, MARY CLARK 13357 ASHFORD PARK DR RALEIGH NC 27613-4150

0788053049

STRICKLAND ROAD ASSOCIATES, LLC

1450 ENVIRON WAY

CHAPEL HILL NC 27517-4433

0788056205

**AMMONS PROPERTY** LIMITED PARTNERSHIP LIMITED PARTNE... WALGREEN REAL ESTATE TAX DEPT.

PO BOX 1159

**DEERFIELD IL 60015-6002** 

0788057170 STRICKLAND ROAD ASSOCIATES, LLC 1450 ENVIRON WAY CHAPEL HILL NC 27517-4433 0788140007 UZOCHUKWU, BASIL I 13140 ASHFORD PARK DR RALEIGH NC 27613-4141 0788140013 ALLEN, MELINDA 13142 ASHFORD PARK DR RALEIGH NC 27613-4141

0788140421 HIGGINS, THOMAS J 13355 ASHFORD PARK DR RALEIGH NC 27613-4150 0788140451 DILORENZO, VINCENT R DILORENZO, FRANCES A 13353 ASHFORD PARK DR RALEIGH NC 27613-4150 0788140466 CENTEX HOMES 1225 CRESCENT GRN STE 250 CARY NC 27518-8119

0788140468 DRAYMOOR MANOR TWNHME ASSN INC CHARLESTON MGMT CORP PO BOX 97243 RALEIGH NC 27624-7243 0788140490 TURSCHMANN, DAVID J DOSS, DAVID R 13351 ASHFORD PARK DR RALEIGH NC 27613-4150 0788140525 BANKS, GLADYS E M TRUSTEE GLADYS EM BANKS TRUST 13356 ASHFORD PARK DR RALEIGH NC 27613-4149

0788140554 WEIGER, RONALD H WEIGER, CANDACE CAYE 13354 ASHFORD PARK DR RALEIGH NC 27613-4149 0788140583 PENNINGTON, CAROLYN COLE 13352 ASHFORD PARK DR RALEIGH NC 27613-4149 0788141523 CARLIN, PAUL NESTOR CARLIN, AZUCENA RODRIGUEZ TRUS... 6603 JILL CT MC LEAN VA 22101-1613

0788141859 DILLARD, EDNA 9608 OLD LEESVILLE RD RALEIGH NC 27613-7520 0788143140 DRAYMOOR MANOR TOWNHOME ASSOC INC 3739 NATIONAL DR STE 101 RALEIGH NC 27612-4817 0788143748 DILLARD, EDNA SAINTSING 9608 OLD LEESVILLE RD RALEIGH NC 27613-7520